

FIG. 20" 04603260







FIG. 20 04508260



09780940 0608260






FIG. 5



00780940 00608260




FIG 8.




FIG 9.




FIG 8

FIG 12.




FIG 10.




FIG 11.






FIG 13.



FOR 20" 04608260

09780940-021201



FO2F20-0450B260







Figure 1 consists of 12 sub-graphs, labeled (a) through (l), each showing the time course of a different physiological or behavioral parameter over a 10-minute period. The y-axis for all graphs ranges from 0 to 100. The x-axis for all graphs ranges from 0 to 10 minutes. The graphs show a general decrease in values during the intervention period, with some parameters showing a sharp drop at the start of the intervention.

- (a) Heart rate (b/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (b) Blood pressure (mmHg): Shows a sharp drop from approximately 120 to 80 within the first minute, then remains relatively stable.
- (c) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (d) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (e) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (f) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (g) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (h) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (i) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (j) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (k) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.
- (l) Blood flow (ml/min): Shows a sharp drop from approximately 100 to 50 within the first minute, then remains relatively stable.

Fig 16

